NEONATAL PARENTERAL NUTRITION PRESCRIPTION

Bespoke PN only

		_00p	O 1 1 1	· • · · · · ·						
		DAY OF TPN	1	2	3	4	5	6	7	8
DATE OF INFUSION										
OVERALL FLUID VOLUME ml/Kg/day (a)										
Lipid phase										
SMOF with vits		Dose (g/kg/day)	1/2/3	1/2/3	1/2/3	1/2/3	1/2/3	1/2/3	1/2/3	1/2/3
	\	/olume (ml/kg/day)	6/12/18	6/12/18	6/12/18	6/12/18	6/12/18	6/12/18	6/12/18	6/12/1
	(max 1.9ml/hr)	rate ml/hr								
		sign								
Rate change document on Badger net	(max 1.9ml/hr)	rate ml/hr								
		sign								
To be completed by nurses	Batch nu	ımber/expiry date								
Administered by/checked by Start time/End time Rate change implemented by Time of change										
				NB bags ch	nanged ever	y 24hours				
Bespoke PN Bag										
AQUEOUS PN	VOLUME	ml/Kg/day								
Protein offental Nitrones offental of O.F.	Nitrogen	g/Kg/day							1	

	Despuke FIN Day							
	AQUEOUS PN	VOLUME	ml/Kg/day					
ſ	Protein g/kg/d = Nitrogen g/kg/d x 6.25	Nitrogen	g/Kg/day					
		Glucose	% (max 18g/kg/day)					
		Sodium	mmol/Kg/day					
		Potassium	mmol/Kg/day					
		Calcium	mmol/Kg/day					
1		Magnesium	mmol/Kg/day					
		Phosphate	mmol/Kg/day					
		Acetate	mmol/Kg/day					
	Max 1ml/100ml	Peditrace	ml/Kg/day					
			/Kg/day					
_	Available on bespoke pn	bespoke pn Rate ml/hr						
	To be completed by nurses Batch number/expiry date							
		Administered by/checked by						
	Start Time /End time							
	DOCTOR'S SIGNATURE							
	3	PHARMACIST'S SIGNATURE						
		Order no.						
		Urder no						

Routine Monitoring
Blood glucose 1-2 hours after start or change of PN Bag

pH, K^+ , Cl $^-$ & Ca $^{2+}$ daily during initiation and escalation then twice weekly thereafter

Triglycerides & PO₄³⁻ Daily whilst increasing dose then weekly once stable LFT's weekly

- Prescribing notes

 1. Bespoke PN is rarely required and should only be prescribed in discussion with neonatal consultant and Neonatal Pharmacist. Complete all sections ensuring that the volume reflects the volume for aqueous phase of PN only!
- 2. Complete for All patients ensuring rate/hr is calculated for the patient. Standard volume has been assumed but if standard regime needs to be adjusted for triglyceride levels then amend dose and volume/kg/day 3. Sign prescription

Full guidelines can be found on policy centre

IF CALCIUM OR PHOSPHATE REQUIRED - PN MUST TEMPORARILY BE STOPPED

Stick over complex Prescription area of Drug chart. Not valid as a stand alone prescription