. IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2

IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2

IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2

IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2

IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2

IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2

IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2

IV PCA
(PATIENT CONTROLLED ANALGESIA)
Oxycodone 50 mg in 50mL
(Concentration 1 mg/mL)

Bolus: Protocol M 0.5 mg
Protocol N 1 mg
Lockout Period: **5 mins**
No other opioid to be given whilst PCA is in progress unless directed by anaesthetist
Ensure that all unused stock is recorded in the Ward CD book before disposal

For Respiratory Depression
(resp. rate <8/min &/or sedation Score ≥2)
Give: **Naloxone** Dose: up to 400micrograms IV
Dilute 400micrograms with 3mL Sodium Chloride 0.9% & give 100micrograms (1mL) increments

Prescriber to sign .....

Date .....
Approved by DTAG 07/02/2025 V1.2